

<b>Percentages of the Total 2006 Population in Selected Age-Race-Sex Groups, Rockingham County</b>						
Indicator	Population in Rockingham County	County Rate <b>91,830</b>	North Carolina Rate <b>8,860,341</b>	State Average Range	Low	High
Total White Males	35,943	39.1%	37.2%	31.6% - 42.7%		
White Males 0-64	31,166	34.0%	33.0%	28.0% - 37.9%		
White Males 65+	4,777	5.2%	4.1%	3.4% - 4.7%		X
Total White Females	37,379	40.7%	37.3%	31.7% - 42.8%		
White Females 0-14	6,540	7.1%	6.8%	5.7% - 7.8%		
White Females 15-44	13,766	14.9%	14.9%	12.6% - 17.1%		
White Females 45+	17,073	18.5%	15.4%	13.0% - 17.7%		X
Total Minority Males	8,761	9.5%	12.1%	10.2% - 13.9%	X	
Minority Males 0-64	7,911	8.6%	11.3%	9.6% - 12.9%	X	
Minority Males 65+	850	0.93%	0.79%	.67% - .90%		X
Total Minority Females	9,747	10.6%	13.3%	11.3% - 15.2%	X	
Minority Females 0-14	1,837	2.0%	3.0%	2.5% - 3.4%	X	
Minority Females 15-44	3,874	4.2%	6.0%	5.1% - 6.9%	X	
Minority Females 45+	4,036	4.4%	4.3%	3.6% - 4.9%		
Source: State Center for Health Statistics (North Carolina County Health Data Book), 2008						1
<b>Population Projections and Other Selected Population Data, Rockingham County</b>						
Indicator	Number in Rockingham County	County Rate	North Carolina Rate	State Average Range	Low	High
<b>Year July 2010</b>						
Percent Young (<19 Years Old)	22,752	24.6%	26.9%	22.8% - 30.9%		
Percent Elderly (65 Years and Older)	14,525	15.7%	12.4%	10.5% - 14.2%		X
<b>Year July 2015</b>						
Percent Young (<19 Years Old)	21,998	23.6%	26.5%	22.5% - 30.4%		
Percent Elderly (65 Years and Older)	16,250	17.4%	13.6%	11.5% - 15.6%		X
<b>Other</b>						
Annual Percent Net Migration, 2005		-0.2	1.1	.93% - 1.2%		X

Unemployment Rate, December 2007		5.5	4.7	3.9% - 5.4%		X	
Per Capita Personal Income		\$25,418	\$31,041	\$26,384 - \$35,697		X	
Percent Individuals Living in Poverty, 2005		14.8%	14.9%	12.6% - 17.1%			
Percent Individuals Served in Food and Nutrition Services	10,011	58.3%	66.7%	56.6% - 76.7%			
Sources: North Carolina State Demographics, 2007							
Office of the Governor							
Employment Security Commission of North Carolina, 2008							
2007 UNC Sheps Center for Health Services Research							
2005 U.S. Census Bureau- Small Area Income & Poverty Estimates							
DSS Performance Management/Reporting and Evaluation Mgt., 2007							2
<b>Live Birth Rates, 2002-2006 Rockingham County</b>							
Indicator	Number of Events in Rockingham County	County Rate	North Carolina Rate	State Average Range			
			per 1,000		Low	High	
Total Live Birth Rate	5,423	11.8	14.2	12.0 - 16.3	X		
White Live Birth Rate	4,414	12.0	13.8	11.7 - 15.8			
Minority Live Birth Rate	1,009	10.8	15.3	13.0 - 17.5	X		
<b>Pregnancy, Fertility, Abortion Rates for Women Ages 15-44 per 1,000, 2006 Rockingham County</b>							
Indicator	Number of Event in Rockingham County	County Rate	North Carolina Rate	State Average Range			
			Rate		Low	High	
Total Pregnancy Rate	1,282	72.7	84.8	72.0 - 97.5			
White Pregnancy Rate	954	69.3	79.1	67.2 - 90.9			
Minority Pregnancy Rate	313	80.8	93.2	79.2 - 107.1			
Total Fertility Rate	1,071	60.7	68.5	58.2 - 78.7			
White Fertility Rate	844	61.3	69.3	58.9 - 79.6			
Minority Fertility Rate	227	58.6	66.7	56.6 - 76.7			
Total Abortion Rate	203	11.5	15.8	13.4-18.1	X		



Source: State Center for Health Statistics (North Carolina County Health Data Book), 2008							
Adolescent Pregnancy Prevention Coalition of North Carolina, 2008 Fast Stats							4
<b>Indicators of Need for Family Planning Services, 2002-2006, Rockingham County</b>							
Indicator	Number of Events	County	North	State Average			
	in Rockingham	Percent	Carolina	Range			
	County		Percent		Low	High	
Percent High Parity Births, Mothers >30 Years	766	19.7%	18.1%	15.3% - 20.8%			
Percent High Parity Births, Mothers 30+ Years	250	16.2%	19.1%	16.2% - 21.9%			
Percent Short Interval Births	512	13.8%	12.2%	10.3% - 14.0%			
<b>Year 2010 Objectives Related to Pregnancy and Birth, 2002-2006, Rockingham County</b>							
Indicator	Number of Events	County	North	State Average			
	in Rockingham	Rate	Carolina	Range			
	County		Rate		Low	High	
Total % Low Birth Weight (<2500 Grams)	523	9.6%	9.1%	7.7% - 10.4%			
White % Low Birth Weight (<2500 Grams)	390	8.8%	7.4%	6.2% - 8.5%			X
Minority % Low Birth Weight (<2500 Grams)	133	13.2%	13.5%	11.4% - 15.5%			
Total % Very Low Birth Weight (<1500 Grams)	95	1.8%	1.9%	1.6% - 2.1%			
Black % Low Birth Weight (<2500 Grams)	128	13.4%	14.3%	12.1% - 16.4%			
Black % Very Low Birth Weight (<1500 Grams)	35	3.7%	3.6%	3.0% - 4.1%			
Total % Receiving Early Prenatal Care	4,573	84.3%	83.0%	70.5% - 95.4%			
Black % Receiving Early Prenatal Care	742	77.9%	75.4%	64.0% - 86.7%			
Native American % Receiving Early Prenatal Care	17	89.5%	79.3%	67.4% - 91.1%			
Primary % Births Delivered by Cesarean Section	1,558	28.7%	28.7%	24.3% - 33.0%			
White Pregnancy Rate, Age 15-17	255	39.0	28.5	24.2 - 32.7			X
Minority Pregnancy Rate, Ages 15-17	98	49.1	51.3	43.6 - 58.9			
Total Pregnancy Rate, Ages 15-17	356	41.7	36.1	30.6 - 41.5			X
% of Births to Mothers who Smoke	1,090	20.1%	12.4%	10.5% - 14.2%			X


Source: State Center for Health Statistics (North Carolina County Health Data Book), 2008 5

**Fetal, Neonatal, Postneonatal, and Infant Death Rates per 1000, 2002-2006, Rockingham County**

Indicator	Number of Events in Rockingham County	County Rate	North Carolina Rate	State Average Range	Low	High
Total Fetal Death Rate (Deliveries)	49	9.0	7.0	5.9 - 8.0		X
White Fetal Death Rate	32	7.2	5.2	4.4 - 5.9		X
Minority Fetal Death Rate	17	16.6	11.7	9.9 - 13.4		X
Total Neonatal Death Rate (<28 Days)	33	6.1	5.8	4.9 - 6.6		
White Neonatal Death Rate	29	6.6	4.1	3.4 - 4.7		X
Minority Neonatal Death Rate	4	4.0	10.3	8.7 - 11.8	X	
Total Postneonatal Death Rate (28 Days -1Year)	19	3.5	2.6	2.2 - 2.9		X
White Postneonatal Death Rate	14	3.2	2.0	1.7 - 2.3		X
Minority Postneonatal Death Rate	5	5.0	4.2	3.5 - 4.8		X
Total Infant Death Rate (<1 Year)	52	9.6	8.4	7.1 - 9.6		
White Infant Death Rate	43	9.7	6.1	5.1 - 7.0		X
Minority Infant Death Rate	9	8.9	14.5	12.3 - 16.6	X	
Black Infant Death Rate	9	9.5	15.9	13.5 -18.2	X	

**Unadjusted Death Rates per 1,000 Population, Rockingham County**

Indicator	Number of Deaths in Rockingham County	County Rate	North Carolina Rate	State Average Range	Low	High
<b>Unadjusted Death Rates</b>						
2006	1,122	1,221.8	839.9	713.9 - 965.8		X
2002-2006	5,300	1,150.2	854.6	726.4 - 982.7		X

Source: State Center for Health Statistics (North Carolina County Health Data Book), 2008

**Age-Specific Death Rates for Selected Causes for Persons Ages 0-19 Years per 100,000, 2002-2006, Rockingham County**

Indicator	Number of Deaths in Rockingham County	County Rate	North Carolina Rate	State Average Range	Low	High
Cancer-All Sites	2	1.7	2.3	1.9 - 2.6	X	
Congenital Anomalies (Birth Defects)	12	10.4	8.9	7.5 - 10.2		X
Other Unintentional Injuries	12	10.4	5.8	4.9 - 6.6		X
Sudden Infant Death Syndrome (SIDS)	9	7.8	4.1	3.4 - 4.7		X
Conditions originating in the perinatal period	22	19.0	23.7	20.1 - 27.2	X	
Motor Vehicle Injuries	22	19.0	11.8	10.0 - 13.5		X
Suicide	1	0.9	2.0	1.7 - 2.3	X	
Homicide	4	3.5	3.8	3.2 - 4.3		
Diseases of Heart	2	1.7	2.0	1.7 - 2.3		
Pneumonia & Influenza	1	0.9	0.8	.68 -.92		
Total Deaths- All Causes	104	89.9	76.6	65.1 - 88.0		X

**Age-Specific Death Rates for Selected Causes for Persons Ages 20-39 Years per 100,000, 2002-2006, Rockingham County**

Indicator	Number of Deaths in Rockingham County	County Rate	North Carolina Rate	State Average Range	Low	High
HIV Diseases	7	6.0	5.4	4.5 - 6.2		
Cancer-All Sites	18	15.3	11.3	9.6 - 12.9		X
Disease of the Heart	27	23.0	11.0	9.3 - 12.6		X
Other Unintentional Injuries	35	29.8	18.9	16.0 - 21.7		X
Motor Vehicle Injuries	50	42.6	25.0	21.2 - 28.7		X
Suicide	18	15.3	13.6	11.5 - 15.6		
Homicide	17	14.5	13.6	11.5 - 15.6		
Cerebrovascular Disease	3	2.6	2.2	1.8 - 2.5		X

Diabetes Mellitus	2	1.7	1.9	1.6 -2.1		
Congenital Anomalies (Birth Defects)	2	1.7	1.2	1.0 - 1.3		X
Total Deaths- All Causes	207	176.2	126.4	107.4 - 145.3		X
Source: State Center for Health Statistics (North Carolina County Health Data Book), 2008						7
<b>Age-Specific Death Rates for Selected Causes for Persons Ages 40-64 Years per 100,000, 2002-2006, Rockingham County</b>						
Indicator	Number of Deaths in Rockingham County	County Rate	North Carolina Rate	State Average Range	Low	High
Cancer-All Sites	333	210.1	186.8	158.5 - 214.4		
Diabetes Mellitus	42	26.5	22.5	19.1 - 25.8		X
Diseases of the Heart	262	165.3	130.7	111.0 - 150.3		X
Cerebrovascular Disease	45	28.4	24.3	20.6 - 27.9		X
Chronic Liver Disease and Cirrhosis	30	18.9	16.5	14.0 - 18.9		
Other Unintentional Injuries	53	33.4	25.9	22.0 - 29.7		X
Motor Vehicle Injuries	32	20.2	17.9	15.2 - 20.5		
Suicide	26	16.4	16.6	14.1 - 19.0		
Chronic Lower Respiratory Disease	51	32.2	20.7	17.5 - 23.8		X
Total Deaths- All Causes	1,089	687.2	597.8	508.1 - 687.4		
<b>Age-Specific Death Rates for Selected Causes for Persons Ages 65-84 Years per 100,000, 2002-2006, Rockingham County</b>						
Indicator	Number of Deaths in Rockingham County	County Rate	North Carolina Rate	State Average Range	Low	High
Cancer-All Sites	696	1,154.2	1,009.30	857.9 - 1,160.6		
Diabetes Mellitus	101	167.5	133.8	113.7 - 153.8		X
Diseases of the Heart	608	1,008.30	944.3	802.6 - 1,085.9		
Cerebrovascular Disease	197	326.7	262.7	223.2 - 302.1		X
Pneumonia & Influenza	74	122.7	84.2	71.5 - 96.8		X
Chronic Lower Respiratory Disease	209	346.6	279.2	237.3 - 321.0		X
Alzheimer's Disease	47	77.9	102.0	86.7 - 117.3	X	
Nephritis, Nephrotic Syndrome, & Nephrosis	61	101.2	86.1	73.1 - 99.0		X
Septicemia	58	96.2	66.8	56.7 - 76.8		X

Other Unintentional Injuries	39	64.7	62.3	52.9 - 71.6		
Total Deaths- All Causes	2,544	4,218.80	3,754.50	3,191.3 - 4,317.5		
Source: State Center for Health Statistics (North Carolina County Health Data Book), 2008						8

**Age-Specific Death Rates for Selected Causes for Persons Ages 85+ Years per 100,000, 2002-2006, Rockingham County**

Indicator	Number of Deaths in Rockingham County	County Rate	North Carolina Rate	State Average Range	Low	High
Cancer-All Sites	155	1,755.6	1,645.7	1,398.8 - 1,892.5		
Diabetes Mellitus	32	362.4	324.5	275.8 - 373.1		
Diseases of the Heart	411	4,655.1	4,494.3	3,820.1 - 5,168.4		
Cerebrovascular Disease	153	1,732.9	1,514.1	1,286.9 - 1,741.2		
Pneumonia & Influenza	58	656.9	673.2	572.2 - 774.1		
Chronic Lower Respiratory Disease	72	815.5	615.3	523.0 - 707.5		X
Alzheimer's Disease	68	770.2	1017.3	864.7 - 1,169.8	X	
Nephritis, Nephrotic Syndrome, & Nephrosis	39	441.7	346.3	294.3 - 398.2		X
Other Unintentional Injuries	31	351.1	319.5	271.5 - 367.4		
Pneumonia due to solids & liquids	30	339.8	259.9	220.9 - 298.8		X
Total Deaths- All Causes	1,356	15,358.5	14,806.7	12,585.6 - 17,027.7		

**Age-Specific Death Rates for Selected Causes for the Total Population per 100,000, 2002-2006 Rockingham County**

Indicator	Number of Deaths in Rockingham County	County Rate	North Carolina Rate	State Average Range	Low	High
Total Deaths- All Causes	5,300	1,150.20	854.6	726.4 - 982.7		X
Cancer- All Sites	1,204	261.3	193.0	164.0 - 221.9		X
Diabetes Mellitus	177	38.4	26.4	22.4 - 30.3		X
Diseases of the Heart	1,310	284.3	209.0	177.6 - 240.3		X
Cerebrovascular Disease	399	86.6	57.8	49.1 - 66.4		X
Pneumonia & Influenza	147	31.9	21.2	18.0 - 24.3		X
Chronic Lower Respiratory Disease	333	72.3	45.1	38.3 - 51.8		X
Other Unintentional Injuries	170	36.9	26.4	22.4 - 30.3		X



Motor Vehicle Injuries	126	27.3	19.3	16.4 - 22.1		X
Alzheimer's Disease	116	25.2	25.6	21.7 - 29.4		
Nephritis, Nephrotic Syndrome, & Nephrosis	121	26.3	17.4	14.7 - 20.0		X
Source: State Center for Health Statistics (North Carolina County Health Data Book), 2008						9

**Age-Adjusted Death Rates for Selected Causes for White Males per 100,000, 2002-2006, Rockingham County**

Indicator	Number of Deaths in Rockingham County	County Rate	North Carolina Rate	Average State Range	Low	High
Diseases of the Heart	534	295.7	266.0	226.1 - 305.9		
Cerebrovascular Disease	110	66.5	57.0	48.4 - 65.5		X
Cancer-All Sites	534	282.9	238.5	202.7 - 274.2		X
Colon, Rectum, and Anus Cancer	51	27.5	20.5	17.4 - 23.5		X
Prostate Cancer	43	24.9	23.2	19.7 - 26.6		
Diabetes Mellitus	55	29.1	25.2	21.4 - 28.9		X
Pneumonia and Influenza	57	34.3	26.3	22.3 - 30.2		X
Chronic Lower Respiratory	139	77.0	62.1	52.7 - 71.4		X
Chronic Liver Disease and Cirrhosis	35	17.2	12.4	10.5 - 14.2		X
Septicemia	32	18.0	13.7	11.6 - 15.7		X
Nephritis, Nephrosis, and Neph. Syndrome	41	23.4	18.1	15.3 - 20.8		X
Motor Vehicle Unintentional Injuries	66	39.0	26.6	22.6 - 30.5		X
All Other Unintentional Injuries	81	45.1	37.2	31.6 - 42.7		X
Suicide	50	27.1	21.7	18.4 - 24.9		X
Homicide	17	9.2	6.0	5.1 - 6.9		X
HIV	3	1.7	2.4	2.0 - 2.7	X	
Alzheimer's Disease	27	17.4	23.0	19.5 - 26.4	X	
Total Deaths-All Causes	2,102	1,168.0	1,014.2	862.0 - 1,166.3		X
Source: State Center for Health Statistics (North Carolina County Health Data Book), 2008						10

**Age-Adjusted Death Rates for Selected Causes for White Females per 100,000, 2002-2006, Rockingham County**

Indicator	Number of Deaths in Rockingham	County Rate	North Carolina	Average State Range		
-----------	-----------------------------------	----------------	-------------------	------------------------	--	--

	County		Rate		Low	High
Diseases of the Heart	517	177.9	166.7	141.6 - 191.7		
Cerebrovascular Disease	207	71.7	55.3	47.0 - 63.5		X
Cancer- All Sites	458	176.6	157.7	134.0 - 181.3		
Colon, Rectum, and Anus Cancer	50	18.5	14.3	12.1 - 16.4		X
Breast Cancer	64	25.1	23.5	19.9 - 27.0		
Diabetes Mellitus	76	28.0	18.3	15.5 - 21.0		X
Pneumonia and Influenza	68	23.1	20.6	17.5 - 23.6		
Chronic Lower Respiratory	153	56.1	44.0	37.4 - 50.6		X
Chronic Liver Disease and Cirrhosis	17	6.4	5.8	4.9 - 6.6		
Septicemia	50	17.8	11.9	10.1 - 13.6		X
Nephritis, Nephrosis, and Neph. Syndrome	50	16.9	12.5	10.6 - 14.3		X
Motor Vehicle Unintentional Injuries	37	19.2	12.0	10.2 - 13.8		X
All Other Unintentional Injuries	64	26.9	20.4	17.3 - 23.4		X
Suicide	12	6.2	5.9	5.0 - 6.7		
Homicide	5	2.4	2.5	2.1 - 2.8		
HIV	0	0.0	0.5	.42 - 57		
Alzheimer's Disease	82	26.3	31.8	27.0 - 36.5	X	
Total Deaths-All Causes	2,212	808.5	716.4	608.9 - 823.8		

Source: State Center for Health Statistics (North Carolina County Health Data Book), 2008

11

**Age-Adjusted Death Rates for Selected Causes for Minority Males per 100,000, 2002-2006, Rockingham County**

Indicator	Number of Deaths in Rockingham County	County Rate	North Carolina Rate	Average State Range	Low	High
Diseases of the Heart	132	357.8	314.0	266.9 - 361.1		
Cerebrovascular Disease	37	105.0	85.8	72.9 - 98.6		X
Cancer - All Sites	120	332.7	304.6	258.9 - 350.2		
Colon, Rectum, and Anus Cancer	14	35.4	28.3	24.0 - 32.5		X
Prostate Cancer	20	63.0	60.3	51.2 - 69.3		
Diabetes Mellitus	18	49.9	54.4	46.2 - 62.5		
Pneumonia and Influenza	11	36.2	27.5	23.3 - 31.6		X
Chronic Lower Respiratory	24	70.4	48.2	40.9 - 55.4		X

Chronic Liver Disease and Cirrhosis	3	6.0	12.4	10.5 - 14.2	X	
Septicemia	10	28.7	25.4	21.5 - 29.2		
Nephritis, Nephrosis, and Neph. Syndrome	14	37.5	37.7	32.0 - 43.3		
Motor Vehicle Unintentional Injuries	19	45.4	29.7	25.2 - 34.1		X
All Other Unintentional Injuries	17	41.7	32.4	27.5 - 37.2		X
Suicide	5	12.2	9.3	7.9 - 10.6		X
Homicide	17	38.7	26.0	22.1 - 29.9		X
HIV	9	19.6	23.5	19.9 - 27.0	X	
Alzheimer's Disease	3	10.4	17.0	14.4 - 19.5	X	
Total Deaths-All Causes	516	1,410.3	1,282.9	1,090.4 - 1,475.3		

Source: State Center for Health Statistics (North Carolina County Health Data Book), 2008

12

**Age-Adjusted Death Rates for Selected Causes for Minority Females per 100,000, 2002-2006, Rockingham County**

Indicator	Number of Deaths in Rockingham County	County Rate	North Carolina Rate	Average State Range		
					Low	High
Diseases of the Heart	127	218.5	205.0	174.2 - 235.7		
Cerebrovascular Disease	45	76.5	75.5	64.1 - 86.8		
Cancer- All Sites	92	163.9	172.6	146.7 - 198.4		
Colon, Rectum, and Anus Cancer	8	14.6	20.0	17.0 - 23.0	X	
Breast Cancer	16	28.5	32.1	27.2 - 36.9		
Diabetes Mellitus	28	47.5	50.7	43.0 - 58.3		
Pneumonia and Influenza	11	18.5	17.2	14.6 - 19.7		
Chronic Lower Respiratory	17	29.0	19.1	16.2 - 21.9		X
Chronic Liver Disease and Cirrhosis	3	5.2	4.7	3.9 - 5.4		
Septicemia	10	17.3	20.1	17.0 - 23.1		
Nephritis, Nephrosis, and Neph. Syndrome	16	28.8	31.6	26.8 - 36.3		
Motor Vehicle Unintentional Injuries	4	9.1	10.3	8.7 - 11.8		
All Other Unintentional Injuries	8	14.5	13.8	11.7 - 15.8		
Suicide	0	0.0	2.0	1.7 - 2.3	X	
Homicide	1	2.1	5.4	4.5 - 6.2	X	
HIV	4	8.5	10.8	9.1 - 12.4	X	
Alzheimer's Disease	4	5.9	23.5	19.9 - 27.0	X	
Total Deaths-All Causes	470	820.6	852.6	724.7 - 980.4		


Source: State Center for Health Statistics (North Carolina County Health Data Book), 2008 13

**Age-Adjusted Death Rates for Selected Causes for the Total Population per 100,000 Population, 2002-2006, Rockingham County**

Indicator	Number of Deaths in Rockingham County	County Rate	North Carolina Rate	Average State Range	Low	High
Diseases of the Heart	1,310	238.3	217.9	185.2 - 250.5		
Cerebrovascular Disease	399	72.4	61.1	51.9 - 70.2		X
Cancer- All Sites	1,204	218.8	196.4	166.9 - 225.8		
Colon, Rectum, and Anus Cancer	123	22.3	18.2	15.4 - 20.9		X
Breast Cancer	81	25.9	25.7	21.8 - 29.5		
Prostate Cancer	63	30.8	29.1	24.7 - 33.4		
Diabetes Mellitus	177	32.2	27.1	23.0 - 31.1		X
Pneumonia and Influenza	147	26.8	22.5	19.1 - 25.8		X
Chronic Lower Respiratory	333	60.3	47.1	40.0 - 54.1		X
Chronic Liver Disease and Cirrhosis	58	10.7	8.8	7.4 - 10.1		X
Septicemia	102	18.6	14.4	12.2 - 16.5		X
Nephritis, Nephrosis, and Neph. Syndrome	121	21.6	18.2	15.4 - 20.9		X
Motor Vehicle Unintentional Injuries	126	28.3	19.1	16.2 - 21.9		X
All Other Unintentional Injuries	170	34.2	27.0	22.9 - 31.0		X
Suicide	67	13.8	11.6	9.8 - 13.3		X
Homicide	40	8.7	7.2	6.1 - 8.2		X
HIV	16	3.5	5.1	4.3 - 5.8	X	
Alzheimer's Disease	116	20.8	27.7	23.5 - 31.8	X	
Total Deaths-All Causes	5,300	980.0	885.2	752.4 - 1,017.9		

Source: State Center for Health Statistics (North Carolina County Health Data Book), 2008 14

**Age-Adjusted Death Rates for Selected Causes for Whites per 100,000 Population, 2002-2006, Rockingham County**

Indicator	Number of Deaths in Rockingham County	County Rate	North Carolina Rate	Average State Range	Low	High

Diseases of the Heart	1,051	229.3	209.7	178.2 - 241.1		
Cerebrovascular Disease	317	68.9	56.5	48.0 - 64.9		X
Cancer- All Sites	992	217.3	190.2	161.6 - 218.7		
Colon, Rectum, and Anus Cancer	101	22.1	17.0	14.4 - 19.5		X
Breast Cancer	65	25.5	23.7	20.1 - 27.2		
Prostate Cancer	43	24.9	23.2	19.7 - 26.6		
Diabetes Mellitus	131	28.7	21.4	18.1 - 24.6		X
Pneumonia and Influenza	125	27.3	22.8	19.3 - 26.2		X
Chronic Lower Respiratory	292	63.4	50.7	43.0 - 58.3		X
Chronic Liver Disease and Cirrhosis	52	11.7	8.9	7.5 - 10.2		X
Septicemia	82	17.8	12.7	10.7 - 14.6		X
Nephritis, Nephrosis, and Neph. Syndrome	91	19.4	14.7	12.4 - 16.9		X
Motor Vehicle Unintentional Injuries	103	28.9	19.2	16.3 - 22.0		X
All Other Unintentional Injuries	145	36.1	28.4	24.1 - 32.6		X
Suicide	62	15.7	13.5	11.4 - 15.5		X
Homicide	22	5.9	4.3	3.6 - 4.9		X
HIV	3	0.8	1.4	1.1 - 1.6	X	
Alzheimer's Disease	109	23.3	29.0	24.6 - 33.3	X	
Total Deaths-All Causes	4,314	960.8	846.9	719.8 - 973.9		

Source: State Center for Health Statistics (North Carolina County Health Data Book), 2008

15

**Age-Adjusted Death Rates for Selected Causes for Minorities per 100,000 Population, 2002-2006, Rockingham County**

Indicator	Number of Deaths in Rockingham County	County Rate	North Carolina Rate	Average State Range	Low	High
Diseases of the Heart	259	275.9	249.6	212.1 - 287.0		
Cerebrovascular Disease	82	89.2	80.5	68.4 - 92.5		
Cancer -All Sites	212	226.4	221.0	187.8 - 254.1		
Colon, Rectum, and Anus Cancer	22	23.7	23.2	19.7 - 26.6		
Breast Cancer	16	28.5	32.4	27.5 - 37.2		
Prostate Cancer	20	63.0	60.3	51.2 - 69.3		
Diabetes Mellitus	46	49.4	52.8	44.8 - 60.7		
Pneumonia and Influenza	22	24.4	20.8	17.6 - 23.9		X

Chronic Lower Respiratory	41	43.9	29.3	24.9 - 33.6		X
Chronic Liver Disease and Cirrhosis	6	5.7	8.1	6.8 - 9.3	X	
Septicemia	20	22.1	22.0	18.7 - 25.3		
Nephritis, Nephrosis, and Neph. Syndrome	30	31.8	33.8	28.7 - 38.8		
Motor Vehicle Unintentional Injuries	23	25.5	19.1	16.2 - 21.9		X
All Other Unintentional Injuries	25	26.6	21.8	18.5 - 25.0		X
Suicide	5	5.7	5.3	4.5 - 6.0		
Homicide	18	19.4	15.2	12.9 - 17.4		X
HIV	13	13.7	16.6	14.1 - 19.0	X	
Alzheimer's Disease	7	7.7	21.6	18.3 - 24.8	X	
Total Deaths-All Causes	986	1,060.9	1,026.8	872.7 - 1,180.8		

Source: State Center for Health Statistics (North Carolina County Health Data Book), 2008

16

**Age-Adjusted Death Rates for Selected Causes for Males per 100,000 Population, 2002-2006, Rockingham County**

Indicator	Number of Deaths in Rockingham County	County Rate	North Carolina Rate	Average State Range	Range	
					Low	High
Diseases of the Heart	666	306.7	275.3	234.0 - 316.5		
Cerebrovascular Disease	147	72.5	62.1	52.7 - 71.4		X
Cancer - All Sites	654	291.0	250.0	212.5 - 287.5		X
Colon, Rectum, and Anus Cancer	65	28.8	21.9	18.6 - 25.1		X
Prostate Cancer	63	30.8	29.1	24.7 - 33.4		
Diabetes Mellitus	73	32.3	30.2	25.6 - 34.7		
Pneumonia and Influenza	68	34.6	26.6	22.6 - 30.5		X
Chronic Lower Respiratory	163	76.1	60.1	51.0 - 69.1		X
Chronic Liver Disease and Cirrhosis	38	15.4	12.5	10.6 - 14.3		X
Septicemia	42	19.9	15.7	13.3 - 18.0		X
Nephritis, Nephrosis, and Neph. Syndrome	55	25.8	21.5	18.2 - 24.7		X
Motor Vehicle Unintentional Injuries	85	40.0	27.2	23.1 - 31.2		X
All Other Unintentional Injuries	98	44.1	36.1	30.6 - 41.5		X
Suicide	55	24.6	19.2	16.3 - 22.0		X
Homicide	34	14.9	10.9	9.2 - 12.5		X
HIV	12	5.2	7.1	6.0 - 8.1	X	
Alzheimer's Disease	30	16.2	22.0	18.7 - 25.3	X	

Total Deaths-All Causes	2,618	1,209.7	1,066.3	906.3 - 1,226.2		

Source: State Center for Health Statistics (North Carolina County Health Data Book), 2008

17

**Age-Adjusted Death Rates for Selected Causes for Females per 100,000 Population, 2002-2006 Rockingham County**

Indicator	Number of Deaths in Rockingham County	County Rate	North Carolina Rate	Average State Range	Low	High
Diseases of the Heart	644	186.3	174.9	148.6 - 201.1		
Cerebrovascular Disease	252	72.6	59.5	50.5 - 68.4		X
Cancer - All Sites	550	174.2	161.2	137.0 - 185.3		
Colon, Rectum, and Anus Cancer	58	17.7	15.5	13.1 - 17.8		
Breast Cancer	80	25.6	25.5	21.6 - 29.3		
Diabetes Mellitus	104	31.5	24.5	20.8 - 28.1		X
Pneumonia and Influenza	79	22.4	20.1	17.0 - 23.1		
Chronic Lower Respiratory	170	51.4	39.5	33.5 - 45.4		X
Chronic Liver Disease and Cirrhosis	20	6.3	5.6	4.7 - 6.4		
Septicemia	60	17.6	13.6	11.5 - 15.6		X
Nephritis, Nephrosis, and Neph. Syndrome	66	19.1	16.2	13.7 - 18.6		X
Motor Vehicle Unintentional Injuries	41	17.2	11.6	9.8 - 13.3		X
All Other Unintentional Injuries	72	24.4	19.0	16.1 - 21.8		X
Suicide	12	4.9	4.9	4.1 - 5.6		
Homicide	6	2.4	3.3	2.8 - 3.7	X	
HIV	4	1.9	3.1	2.6 - 3.5	X	
Alzheimer's Disease	86	22.9	30.3	25.7 - 34.8	X	
Total Deaths-All Causes	2,682	811.9	747.4	635.2 - 859.5		

Source: State Center for Health Statistics (North Carolina County Health Data Book), 2008

18

**Unintentional injury deaths by presence of alcohol >=15 Years , 2000-2002, Rockingham County**

Indicator	Number of Deaths in Rockingham County	County Rate	North Carolina Rate	Average State Range	Low	High

Tested for Alcohol-Total Deaths	104	NA	NA	NA		
Amount for Alcohol (.01-.07)	6	5.8%	6.9%	5.8% - 7.9%		
Amount for Alchol (.08+)	33	31.7%	24.9%	21.1% - 28.6%		X
Tested Negative	65	62.5%	68.2%	57.9% - 78.4%		
Motor Vehicles	56	53.8%	50.5%	42.9% - 58.0%		
Fire	12	11.5%	4.3%	3.6% - 4.9%		X
Fall	5	4.8%	6.6%	5.6% - 7.5%	X	
Drowning	0	0.0%	3.5%	2.9% - 4.0%	X	
Other Accidents	31	29.8%	35.1%	29.8% - 40.3%		

**Crude Death Rates for Selected Causes, 2002-2006, Rockingham County**

Indicator	Number of Deaths in Rockingham County	County Rate	North Carolina Rate	Average State Range	Low	High
Diseases of the Heart	1,310	284.3	209.0	177.6 - 240.3		X
Cerebrovascular Disease	399	86.6	57.8	49.1 - 66.4		X
Chronic Lower Respiratory Disease	333	72.3	45.1	38.3 - 51.8		X
Diabetes Mellitus	177	38.4	26.4	22.4 - 30.3		X
Cancer-All Sites	1,204	261.3	193.0	164.0 - 221.9		X
Other Unintentional Injuries	170	36.9	26.4	22.4 - 30.3		X
Pneumonia and Influenza	147	31.9	21.2	18.0 - 24.3		X
Motor Vehicle Unintentional Injuries	126	27.3	19.3	16.4 - 22.1		X
Nephritis, Nephrosis, Nephrotic Syndrome	121	26.3	17.4	14.7 - 20.0		X
Alzheimer's Disease	116	25.2	25.6	21.7 - 29.4		
All Causes	5,300	1,150.2	854.6	726.4 - 982.7		X

Sources: North Carolina OCME Datat, 2000-2002

State Center for Health Statistics (North Carolina County Health Data Book), 2008

**Communicable Disease Case Rates per 100,000 Population, 2002-2006, Rockingham County**

Indicator	Number of Events in Rockingham County	County Rate	North Carolina Rate	State Average Range	Low	High



AIDS	14	3.0	12.4	10.5 - 14.2	X	
Gonorrhea-Total	753	163.4	182.0	154.7 - 209.3		
Gonorrhea-Minority	461	492.5	585.0	497.2 - 672.7	X	
Syphilis-Total	6	1.3	2.8	2.3 - 3.2	X	
Syphilis-Minority	3	3.2	7.6	6.4 - 8.7	X	

**Age-Adjusted Cancer Incidence Rates per 100,000 Population, 2002-2004, Rockingham County**

Indicator	Number of Events in Rockingham County	County Rate	North Carolina Rate	State Average Range	Low	High
All Cancer	2,568	478.7	452.1	384.2 - 519.9		
Colon/Rectum	325	59.8	47.7	40.5 - 54.8		X
Lung/Bronchus Cancer	472	86.8	69.9	59.4 - 80.3		X
Female Breast Cancer	418	144.4	145.6	123.7 - 167.4		
Prostate Cancer	301	126.2	151.1	128.4 - 173.7	X	

**Per Capita Medicaid Payments 2004-2005 and Lead Screening Data for Children Ages 1 to 2 Years, 2007 Rockingham County**

Indicator	Number of Events in Rockingham County	County Rate	North Carolina Rate	State Average Range	Low	High
<b>Total Population Enrolled</b>						
Per Capita Medicaid Payments	21.2	\$1,101	\$885	\$752 - \$1,017		X

**2007 Childhood Lead Screening Data**

1-and 2- year olds % screened		38.2%	42.8%	36.3% - 49.2%		
1-and 2- year olds % > or = 10 ug/dL (Elevated)		1.0%	0.8%	.68% - .92%		X
Sources: State Center for Health Statistics, 2008 Action for Children, 2007 Child Health Report Card						20

**Inpatient Hospital Discharge per 1,000 Population, 2006, Rockingham County**

Indicator	Total Cases in Rockingham County	County Rate	North Carolina Rate	State Average Range	Low	High

Septicemia	316	3.4	1.8	1.5 - 2.0		X	
AIDS	9	0.1	0.2	.17 - .23	X		
Malignant Neoplams (Total Cancer)	494	5.4	3.9	3.3 - 4.4		X	
Colon, Rectum, and Anus Cancer	66	0.7	0.5	.42 - .57		X	
Trachea, Bronchus, Lung Cancer	92	1.0	0.6	.51 - .69		X	
Female Breast Cancer	21	0.2	0.2	.17 - .23			
Prostate Cancer	36	0.4	0.3	.25 - .34		X	
Diabetes	277	3.0	1.8	1.5 - 2.0		X	
Heart Disease	1,703	18.5	12.7	10.7 - 14.6		X	
Cerebrovascular Disease	373	4.1	3.1	2.6 - 3.5		X	
Pneumonia and Influenza	600	6.5	3.7	3.1 - 4.2		X	
Chronic Obstructive Pulmonary Disease	656	7.1	3.2	2.7 - 3.6		X	
Chronic Liver Disease and Cirrhosis	49	0.5	0.3	.25 - .34		X	
Nephritis, Nephrosis, and Neph. Syndrome	154	1.7	1.3	1.1 - 1.4		X	
Injuries and Posioning	1,074	11.7	8.6	7.3 - 9.8		X	
All Conditions	13,595	148.0	108.4	92.1 - 124.6		X	

State Center for Health Statistics (North Carolina County Health Data Book), 2008

21

**Inpatient Hospital Days Stay Rate per 1,000 Population, 2006, Rockingham County**

Indicator	Aver Days Stay in Rockingham County	County Rate	North Carolina Rate	State Average Range		
					Low	High
Septicemia	7.4	25.6	15.6	13.2 - 17.9		X
AIDS	6.9	0.7	1.9	1.6 - 2.1	X	
Malignant Neoplams	6.9	37.1	27.4	23.2 - 31.5		X
Colon, Rectum, and Anus Cancer	9.9	7.1	4.1	3.4 - 4.7		X
Trachea, Bronchus, Lung Cancer	8.2	8.2	4.4	3.7 - 5.0		X
Female Breast Cancer	2.3	0.5	0.6	.51 - .69	X	
Prostate Cancer	3.3	1.3	0.9	.76 - 1.03		X
Diabetes	4.4	13.3	9.5	8.0 - 10.9		X
Heart Disease	5.1	94.8	60.2	51.1 - 69.2		X
Cerebrovascular Disease	4.9	20.0	16.3	13.8 - 18.7		X
Pneumonia and Influenza	5.1	33.4	20.1	17.0 - 23.1		X
Chronic Obstructive Pulmonary Disease	4.3	30.6	14.2	12.0 - 16.3		X

Chronic Liver Disease and Cirrhosis	5.2	2.8	2.0	1.7 - 2.3		X
Nephritis, Nephrosis, and Neph. Syndrome	6.0	10.1	8.5	7.2 - 9.7		X
Injuries and Posioning	5.5	64.8	48.9	41.5 - 56.2		X
All Conditions	4.9	720.2	536.3	455.8 - 616.7		X
State Center for Health Statistics (North Carolina County Health Data Book), 2008						22

**Impatient Hospital Average Charge per Case, 2006, Rockingham County**

Indicator	Rockingham County Total Charges	County Aver Charge per Case	NC Aver Charge per Case	State Average Range	Low	High
Septicemia	\$6,108,394	\$19,392	\$32,363	\$27,508 - \$37,217	X	
AIDS	\$216,359	\$24,040	\$29,215	\$24,832 - \$33,597	X	
Malignant Neoplams (Total Cancer)	\$10,238,298	\$20,725	\$28,491	\$24,217 - \$32,764	X	
Colon, Rectum, and Anus Cancer	\$1,926,920	\$29,196	\$32,751	\$27,838 - \$37,663		
Trachea, Bronchus, Lung Cancer	\$2,113,415	\$22,972	\$28,568	\$24,282 - \$32,853	X	
Female Breast Cancer	\$268,856	\$12,803	\$15,046	\$12,789 - \$17,302		
Prostate Cancer	\$506,748	\$14,076	\$18,865	\$16,035 - \$21,694	X	
Diabetes	\$2,342,503	\$8,457	\$15,877	\$13,495 - \$18,258	X	
Heart Disease	\$35,197,021	\$20,668	\$29,380	\$24,973 - \$33,787	X	
Cerebrovascular Disease	\$5,248,769	\$14,110	\$21,106	\$17,940 - \$24,271	X	
Pneumonia and Influenza	\$6,095,481	\$10,159	\$15,782	\$13,414 - \$18,149	X	
Chronic Obstructive Pulmonary Disease	\$5,794,868	\$8,834	\$12,455	\$10,586 - \$14,323	X	
Chronic Liver Disease and Cirrhosis	\$454,629	\$9,278	\$23,223	\$19,739 - \$26,706	X	
Nephritis, Nephrosis, and Neph. Syndrome	\$2,018,435	\$13,107	\$19,382	\$16,474 - \$22,289	X	
Injuries and Posioning	\$19,597,188	\$18,247	\$26,884	\$22,851 - \$30,916	X	
All Conditions	\$192,036,370	\$14,130	\$19,236	\$16,350 - \$22,121	X	
State Center for Health Statistics (North Carolina County Health Data Book), 2008						23

State Center for Health Statistics (North Carolina County Health Data Book), 2008

**Asthma Hospital Discharges with Primary Diagnosis of Asthma and Hospital Discharges, 2006, Rockingham County**

Indicator	Number of Events in Rockingham County	County Rate	North Carolina Rate	State Average Range	Low	High

Hospital Discharges Rate with Primary Diagnosis of Asthma -All Ages	234	254.8	118.5	100.7 - 136.2		
Hospital Discharges Rate - Ages 0-14 Years	53	306.7	152.8	129.8 - 175.7		X
<b>Client Activity and Utilization by Area North Carolina Area Programs By Region, FY 2005-2006 per 100,000 Rockingham County</b>						
Indicator	Number of Events in Rockingham County	County Rate	North Carolina Rate	State Average Range		
					Low	High
<b>Area Mental Health Programs</b>						
<b>Alamance-Caswell-Rockingham Region</b>						
Admissions		1,073.0	868.0	737.8 - 998.2	X	
<b>Admissions by age group by region</b>						
Children (0-17)		956.0	846.0	719.0 - 972.9		
Adults (18-65)		944.0	868.0	737.8 - 998.2		
Total		944.0	939.0	798.1 - 1,079.8		
Sources: State Center for Health Statistics (North Carolina County Health Data Book), 2008						
North Carolina Division of Mental Health, Developmental Disabilities and Substance Abuse Services, 2007						
						24
<b>Local Health Department and NC Health Professionals per 10,000 Population, 2006 Rockingham County</b>						
Indicator	Number of Personnel in Rockingham County	County Rate	North Carolina Rate	State Average Range		
					Low	High
<b>Local Health Department Data as of February 2008</b>						
Persons per Administrative Staff	8	8.9	20.0	17.0 - 23.0		X
Persons per Nurse	21	23.5	29.0	24.6 - 33.3		X
Persons per Health Department Staff	89		8,006			
<b>NC Health Professionals Data System, 2006</b>						
Non Federal Physicians	106	11.5	20.8	17.6 - 23.9		X

Physician Assistants	14	1.5	3.2	2.7 - 3.6		X
Registered Nurse	476	51.8	92.9	78.9 - 106.8		X
Dentist	26	2.8	4.4	3.7 - 5.0		X
Certified Nurse Midwife (Female 15-44)	1	0.6	1.1	.93 - 1.2		X
Nurse Practitioner	11	1.2	3.0	2.5 - 3.4		X
Pharmacists	81	8.8	8.9	7.5 - 10.2		
Primary Care Physician	58	6.3	9	7.6 - 10.3		X
Dental Hygienist	58	6.3	5.3	4.5 - 6.0	X	
Psychologist	1	0.1	2.0	1.7 - 2.3		X
Psychological Associates	2	0.2	1.0	.85 - 1.1		X

Sources: State Center for Health Statistics (local Health Department Staffing and Services Summary) 2005

UNC Sheps Center for Health Services Research, 2007

25

**Pregnancy Nutrition Surveillance; Women, Infant, and Children Program Percentages, 2007 Rockingham County**

Indicator	Number of Events in Rockingham County	County Rate	North Carolina Rate	State Average Range	Low	High
-----------	---	----------------	---------------------------	------------------------	-----	------

***Nutritional and Health Care Profile***

Mothers who smoke during pregnancy	99	31.8%	19.0%	16.1% - 21.8%		X
Mothers with low hemoglobin or low hematocrit	14	4.5%	10.8%	9.1% - 12.4%	X	
Mothers with underweight body mass index (BMI)	32	10.2%	9.2%	7.8% - 10.5%		
Mothers with overweight BMI	144	46.3%	44.3%	37.6% - 50.9%		

***Child Health, End of October 2007 Participants***

Infant WIC Enrolled		666	67,038			
Child WIC Enrolled		1,148	122,208			

**Breast and Cervical Cancer Control Program (BCCCP) Screenings Performance, 2006-2007 Rockingham County**

Indicator	Number of Events in Rockingham County	County Rate	North Carolina Rate	State Average Range	Low	High
% of BCCCP Screening Goal Reached	147	86.0%	109.0%	92.6% - 125.3%		X
Percent of Mammograms Provided to	127	88.2%	82.9%	70.4% - 95.0%		

women >50 years						
% of Paps provided to women rarely screened	75	44.0%	32.7%	27.7% - 37.6%	X	
Sources: Rockingham County Department of Public Health (WIC report)						
North Carolina BCCCP Report 2006-2007, Rockingham County Department of Public Health BCCCP Report 2007						26
<b>Percent of Population Without Health Insurance, Rockingham County</b>						
Indicator		County Rate	North Carolina Rate	State Average Range		
					Low	High
<b>Total Population Ages 0-64</b>						
2001		19.1%	17.7%	15.0% - 20.3%		
2002		19.6%	19.0%	16.1% - 21.8%		
2003		20.5%	19.4%	16.4% - 22.3%		
2004		19.5%	17.5%	14.8% - 20.1%		
2005		18.0%	17.2%	14.6% - 19.7%		
<b>2005</b>						
Ages 0-17 Years		11.7%	11.3%	9.6% - 12.9%		
Ages 18-64 Years		20.4%	19.5%	16.5% - 22.4%		
<b>Calibrated Dental Screening Data for Kindergarten and Fifth Grade Children, 2006-2007 Rockingham County</b>						
Indicator	Number of Events in Rockingham County	County Rate	North Carolina Rate	State Average Range		
					Low	High
<b>Kindergarten Children</b>						
% Children Screened	1,094	95.0%	78.0%	66.3% - 89.7%	X	
% Children Cavity-Free		55.0%	61.0%	51.8% - 70.15%		
% Children with Untreated Decay		24.0%	19.0%	16.1% - 21.8%		X
Average dmft/child		1.8	1.7	1.4 - 1.9		
Average dt/child		0.8	0.6	.47 - .64		X
<b>Fifth Grade Children</b>						
% Children Screened	1,060	97.0%	81.0%	68.8% - 93.1%	X	
% Children Cavity-Free		76.0%	75.0%	63.7% - 86.2%		
% Children with Untreated Decay		4.0%	4.0%	3.4% - 4.6%		

Average dmft/child		0.43	0.54	.45 - .62	X	
Average dt/child		0.05	0.06	.05 - .06		
Percent with Sealants		39.0%	42.0%	35.7% - 48.3%		
Sources: Cecil S Sheps Center for Health Service Research ( County Estimates of the Number of Uninsured in North Carolina) 2001-2005						
NC Division of Public Health, Oral Health Section (County Level Oral Health Status Data 2006-2007						27
<b>Education Data, Rockingham County</b>						
Indicator	Number of Events	County	North	State Average		
	in Rockingham	Rate	Carolina	Range	Low	High
	County		Rate			
Grades 9-12 Retention Rate		64.1	64.7	54.9 - 74.4		
Grades 7-12 Dropout Rate 2004-2005	322	4.55	3.23	2.7 - 3.0		X
Grades 9-12 Dropout Rate 2004-2005	301	6.34	4.74	4.0 - 5.4		X
State per Pupil Expenditure 2006-2007		\$5,576	\$5,272	\$4,481 - \$6,062		
Federal per Pupil Expenditure 2006-2007		\$814	\$802	\$681 - \$922		
Local per Pupil Expenditure 2006-2007		\$1,437	\$1,949	\$1,656 - \$2,241		X
Total per Pupil Expenditure 2006-2007		\$7,827	\$8,023	\$6,819 - \$9,226		
% 4th Grade Students Proficient in Reading 2006-2007						
		82.9%	85.2%	72.4% - 97.9%		
% 4th Grade Students Proficient in Math 2006-2007						
		61.4%	67.7%	57.5% - 77.8%		
% 7th Grade Students Writing at or above grade level 2006-2007						
		45.9%	50.8%	43.1% - 58.4%		
Percent of Students Who Took the SAT 2006						
		60.3%	71.0%	60.3% - 81.6%		
Math SAT Score 2006						
		510.0	513.0	436.0 - 589.9		
Verbal SAT Score 2006						
		479.0	495.0	420.7 - 569.2		
Total SAT Score 2006						
		989.0	1008.0	856.8 - 1,159.2		
Violent Incidents Committed per 1,000 students 2006-2007						
	119	8.4%	7.7%	6.5% - 8.8%		
Source: NCDPI						
NCDPI/Curriculum and School Reform Services (NC Public Schools Annual Dropout Event Report) 2004-2005						
Rockingham County Schools Profile 2007						
NC Schools Report Cards (Rockingham County Schools) 2006-2007						
The Nation's Report Card ( Mathematics, Reading 2007)						

NC Public Schools News Release 2006-2007 (Student Writing Scores Improve in 2006-2007)											
NC Public Schools 2006-2007 Annual Report on School Crime and Violence										28	
<b>Community Health Data, Rockingham County</b>											
Indicator	Number of Events	County	North	State Average							
	in Rockingham	Rate	Carolina	Range							
	County		Rate		Low	High					
Index Crime Rate, 2005	N.A.	4,437.6	4,622.4	3,929.0 - 5,315.7							
Index Crime Rate, 2006	N.A.	4,717.3	4,649.3	3,951.9 - 5,346.6							
Violent Crime Rate, 2005	N.A.	277.6	478.5	406.7 - 550.2	X						
Violent Crime Rate, 2006	N.A.	258.7	483.0	410.5 - 555.4	X						
Property Crime Rate, 2005	N.A.	4,160.0	4,143.9	3,522.3 - 4,765.4							
Property Crime Rate, 2006	N.A.	4,458.6	4,166.4	3,541.4 - 4,791.3							
Juvenile Court Appearance Rate	205	21.8	18.8	15.9 - 21.6					X		
Youth Development & Detention Center Admissions, 2006											
	93	6.6	5.8	4.9 - 6.6							
Percent Registered Voters as of October 2007	55,924	60%	63%	53.5% - 72.4%							
<b>CPS Assessment Findings for Children</b>											
Percent of Reported Children Substantiated, 2005-2006											
	163	18.9%	22.1%	18.7% - 25.4%							
Percent of Child Abuse Reports	37	4.3%	7.7%	6.5% - 8.8%	X						
Percent of Child Neglect Reports	811	94.2%	85.6%	72.7% - 98.4%							
Percent of Dependency Reports	5	0.6%	0.8%	.68% - .92%	X						
Sources: NC State Bureau of Investigation Division of Criminal Information											
NC Dpartment of Juvenile Justice and Delinquency Prevention 2006 Annual Report											
North Carolina Department of Social Services (Child Protective Services Assessment) 2005-2006											
									29		